



However, recent evidence suggests that early-onset diabetes is more aggressive, associated with more rapid decline in beta-cell function, greater likelihood of insulin therapy and greater risk of comorbidities and death [10–13]. Epidemiological data regarding the in-









and Classification of Diabetes Mellitus. Geneva: World Health Organization; 1999.

2. Baker IDI Heart and Diabetes Institute. Diabetes: the silent pandemic and its impact on Australia. Melbourne: Baker IDI Heart and Diabetes Institute; 2012.
3. Wilmot E, Idris I. Early onset type 2 diabetes: risk factors, clinical impact and management. *Ther Advances Chronic Dis.* 2014;5(6):234–44.
4. Colagiuri R, Dain K, Moylan J. The global response to diabetes: action or apathy? *MJA.* 2014;201(10):581–3.
5. International Diabetes Federation. IDF Diabetes Atlas. In: Seventh Edition edn. Brussels: International Diabetes Federation; 2015.
6. Gonzalez E, Johansson S, Wallander M, Rodriguez L. Trends in the prevalence and incidence of diabetes in the UK: 1996–2005. *J Epidemiol Community Health.* 2009;63:332–6.
7. Mokdad AH, Ford ES, Bowman BA, Nelson DE, Engelgau MM, Vinicor F, Marks JS. Diabetes trends in the U. S.: 1990–1998. *Diabetes Care.* 2000;23:1278–83.
8. Shaw J, Sicree RA, Zimmet PZ. Global estimates of the prevalence of diabetes for 2010 and 2030. *Diabetes Res Clin Pract.* 2010;87(1):4–14.
9. McCarthy MI. Genomics, Type 2 Diabetes and Obesity. *N Engl J Med.* 2010; 363:2339–50.
10. Song SH, Hardisty CA. Early-onset Type 2 diabetes mellitus: an increasing phenomenon of elevated cardiovascular risk. *Expert Rev Cardiovasc Ther.* 2008;6(3):315–22.