



## Background

150 (1-7). A ( ) 18-64 8. A 2-3 8-10. 2017 53% . 14% 33% (e e). 2009 11. A 2014 ( ), 65% 12. 13, 14.

3.5 2/ 26  
511  
( ) ( )



Table 3

---

---

---

---

<p>2211.6 ( = 1592.8) / 315.9 ( = 227.6)</p>	<p>( 3).</p> <p>Comparative analysis of physical activity and anthropometric parameters</p> <p>4</p>
----------------------------------------------	------------------------------------------------------------------------------------------------------

---



١٠٠٠ ١٠٠٠ ١٠٠٠ ١٠٠٠ ١٠٠٠ ١٠٠٠ ١٠٠٠ ١٠٠٠ ١٠٠٠ ١٠٠٠





12. Erdei G, Kovacs VA, Bakacs M, Martos E. Hungarian Diet and Nutritional Status Survey 2014. I. Nutritional status of the Hungarian adult population. *Orvosi Hetilap*. 2017;158(14):533–40.
13. WHO: Global diffusion of eHealth-making universal health coverage achievable: report of the third global survey on eHealth. In: *Global diffusion of eHealth-making universal health coverage achievable: report of the third global survey on eHealth*. 2017.
14. Shaw RB, Sweet SN, McBride CB, Adair WK, Martin Ginis KA. Operationalizing the reach, effectiveness, adoption, implementation, maintenance (RE-AIM) framework to evaluate the collective impact of autonomous community programs that promote health and well-being. *BMC Public Health*. 2019; 19(1):803.
15. Cooper AJ, Dearnley K, Williams KM, Sharp SJ, van Sluijs EM, Brage S, Sutton S, Griffin SJ. Protocol for get moving: a randomised controlled trial to assess the effectiveness of three minimal contact interventions to promote fitness and physical activity in working adults. *BMC Public Health*. 2015;15:296.
16. Jahangiry L, Shojaeizadeh D, Najafi M, Mohammad K, Abbasalizad Farhangi M, Montazeri A. 'Red Ruby': an interactive web-based intervention for lifestyle modification on metabolic syndrome: a study protocol for a randomized controlled trial. *BMC Public Health*. 2014;14:748.
17. Vollum MJ. The potential for social media use in K-12 physical and health education. *Comput Hum Behav*. 2014;35:560–4.
18. Peyman N, Rezaei-Rad M, Tehrani H, Gholian-Aval M, Vahedian-Shahroodi M, Heidarian Miri H. Digital media-based health intervention on the promotion of Women's physical activity: a quasi-experimental study. *BMC Public Health*. 2018;18(1):134.
19. Ek A, Alexandrou C, Delisle Nystrom C, Direito A, Eriksson U, Hammar U, Henriksson P, Maddison R, Trolle Lagerros Y, Lof M. The Smart City active Mobile phone intervention (SCAMPI) study to promote physical activity through active transportation in healthy adults: a study protocol for a randomised controlled trial. *BMC Public Health*. 2018;18(1):880.
20. HCSO: STADAT Time series of annual data - Information, communication 2018. In. Edited by Office HCS, 08/06/2019 edn; 2018.
21. Makai AP, Viktóra ; Lampek, Kinga ; Ács, Pongrácz ; Simon-Ugron, Ágnes ; Figler, Mária Sitting Time and Sport Participation of the Employed Population In Hungary and Europe. *Studia Universitatis Babeş-Bolyai Educatio Artis Gymnasticae* 2018, LVIII(2):11–22.
22. Proper KI, van Oostrom SH. The effectiveness of workplace health promotion interventions on physical and mental health outcomes - a systematic review of reviews. *Scand J Work Environ Health*. 2019;45(6): 546–59.
23. Bandura A. Social foundations of thought and action: a social cognitive theory. Englewood Cliffs: Prentice Hall; 1986.
24. Pender NJ: Health promotion model manual. 2011.
25. Craig CL, Marshall AL, Sjostrom M, Bauman AE, Booth ML, Ainsworth BE, Pratt M, Ekelund U, Yngve A, Sallis JF, et al. International physical activity questionnaire: 12-country reliability and validity. *Med Sci Sports Exerc*. 2003; 35(8):1381–95.
26. IPAQ group. Guidelines for data processing and analysis of the International Physical Activity Questionnaire (IPAQ)—short and long forms. 2005. <https://docs.google.com/viewer?a=v&pid=sites&srcid=ZGVmYXVsdGRvbWVpbnx0aGVpcGFxGd40JE0NDgxMDk3NDU1YWRIZTM>. Accessed 20 Jan 2018.
27. Csépe V, Györi M, Ragó A: Általános pszichológia 1–3.–2. Tanulás–emlékezés–tudás. *Osiris Kiadó, Budapest* 2007.
28. Khoshnood Z, Rayyani M, Targari B. Theory analysis for Pender's health promotion model (HPM) by Barnum's criteria: a critical perspective. *Int J Adolesc Med Health*. 2018. <https://doi.org/10.1515/ijamh-2017-0160>.
29. Gill DP, Blunt W, Boa Sorte Silva NC, Stiller-Moldovan C, Zou GY, Petrella RJ. The HealthSteps lifestyle prescription program to improve physical activity and modifiable risk factors for chronic disease: a pragmatic randomized controlled trial. *BMC Public Health*. 2019;19(1):841.
30. Rayward AT, Vandelanotte C, Corry K, Van Itallie A, Duncan MJ. Impact of a social media campaign on reach, uptake, and engagement with a free web- and app-based physical activity intervention: the 10,000 steps Australia program. *Int J Environ Res Public Health*. 2019;16(24):5076.
31. Bujnowska-Fedak MM, Węgierek P. The impact of online health information on patient health Behaviours and making decisions concerning health. *Int J Environ Res Public Health*. 2020;17(3):E880.
32. Nakamura PM, Teixeira IP, Smirmaul BPC, Sebastiao E, Papini CB, Gobbi S, Kokubun E. Health related quality of life is differently associated with leisure-time physical activity intensities according to gender: a cross-sectional approach. *Health Qual Life Outcomes*. 2014. <https://doi.org/10.1186/1477-7525-12-98>.
33. Braun S, Peña JJD, Egger R, Kövesd P, Kunter C, Nagy E, San Cristóbal A, Varga-Pintér B, Vestergaard N, von Kanel K, et al. Online megoldások az idősebb korosztály fittségi kihívásaira. *Alkalmazott Multimédia Újság - J App Multimedia*. 2012;7(1):35–43.
34. Larsen B, Benitez T. Web-based physical activity intervention for Latina adolescents: feasibility, acceptability, and potential efficacy of the Ninas Saludables study. *J Med Internet Res*. 2018;20(5):e170.
35. Larsen B. A web-based physical activity intervention for Spanish-speaking Latinas: a costs and cost-effectiveness analysis. *J Med Internet Res*. 2017; 19(2):e43.
36. Degroote L, Plaete J, De Bourdeaudhuij I, Verloigne M, Van Stappen V, De Meester A, Poppe L, Van der Mispel C, Crombez G. The effect of the ehealth intervention 'myplan 1.0' on physical activity in adults who visit general practice: a quasi-experimental trial. *Int J Environ Res Public Health*.

54. Prémusz V, Makai A, Gács B, Simon-Ugron Á, Nagy Á, Ács P, Lampek K, Várnagy Á. Relationship between pre-treatment habitual physical activity and success of assisted reproduction. *Studia Univ Babes-Bolyai, Educ Artis Gymnasticae*. 2018;63(3):41–58.
55. Holler P, Jaunig J, Amort FM, Tuttner S, Hofer-Fischanger K, Wallner D, Simi H, Muller A, van Poppel MNM, Moser O. Holistic physical exercise training improves physical literacy among physically inactive adults: a pilot intervention study. *BMC Public Health*. 2019;19(1):393.
56. Jordan S, Krug S, von der Lippe E. Participation in group-based physical activity programmes for adults in Germany and associated factors: data from a nationwide cohort study. *BMC Public Health*. 2018;18(1):1371.

## Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.